

Comp 125 - Visual Information Processing

Spring Semester 2019 - Week 4 - Monday

Dr Nick Hayward

Fun exercise - using variables and operators

- calculate the **number of seconds in an hour**
- using the **number of seconds in an hour**, calculate the **number of seconds in a day**
- using **number of seconds in a day**, calculate the **number of seconds in a year**
- using **number of seconds in a year**, calculate the **number of seconds in your current age** in years, e.g. 22 years

Output each answer to the document with a line break between each result.

- please signup for a CodePen account - <https://codepen.io/>
 - *use for writing and testing assignment*
 - *send URL to completed PEN for assignment - use private message to TA*

JS Objects - example

```
// create object
var object = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// output with dot notation
document.write('<br>archive is ' + object.archive);

// output with bracket notation - returns undefined
document.write('<br>access is restricted to ' + object[1]);

// output with bracket notation
document.write('<br>purpose is ' + object['purpose']);
```

JS Objects - example output

archive is waldzell
access is restricted to undefined
purpose is gaming

```
Elements Console Sources Network Performance Memory >> : X
top Filter Errors only 3 items hidden by filters
> // create object
var object = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};
// output with dot notation
document.write('<br>archive is ' + object.archive);
// output with bracket notation - returns undefined
document.write('<br>access is restricted to ' + object[1]);
// output with bracket notation
document.write('<br>purpose is ' + object['purpose']);
< undefined
> |
```

JS Object - example output

JS Objects - all keys

- access single values using a specific key
 - dot or bracket notation...
 - JS provides method to access all keys in passed object
 - e.g. using `Object.keys()` method

```
// create object
var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get all keys for passed object
Object.keys(testObject);
```

- `keys()` method returns an array of keys for `testObject`

JS Objects - all keys

get all keys from the passed object...

```
> // create object
var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get all keys from passed object
Object.keys(testObject);
< ▼ (3) ["archive", "access", "purpose"] ⓘ
  0: "archive"
  1: "access"
  2: "purpose"
  length: 3
  ▶ __proto__: Array(0)
> |
```

JS Object - get all keys

JS Objects - add values

- to add values to an object, we might need to start with an empty object

```
// create empty object  
var testObject = {};
```

- uses same pattern as creating **array**
 - `{ }` for object
 - `[]` for array
 - *add single values to new object*

```
// create empty object  
var testObject = {};  
// add new value with dot notation  
testObject.archive = 'waldzell';  
// add new value with bracket notation  
testObject['access'] = 'castalia';
```

JS Objects - add values

add some values to an empty object...

```
> // create empty object
var testObject = {};
// add new value with dot notation
testObject.archive = 'waldzell';
// add new value with bracket notation
testObject['access'] = 'castalia';
// check new object
testObject;
< {archive: "waldzell", access: "castalia"}
  access: "castalia"
  archive: "waldzell"
  __proto__: Object
> |
```

JS Object - add some values

JS Objects - all values

- JS provides method to access all values in passed object
 - e.g. using *Object.values()* method

```
// create object
var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get all values for passed object
Object.values(testObject);
```

- `value()` method returns an array of values for `testObject`

JS Objects - all values

get all values from the passed object...

```
> var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get all values from passed object
Object.values(testObject);
< ▾ (3) ["waldzell", "castalia", "gaming"] ⓘ
  0: "waldzell"
  1: "castalia"
  2: "gaming"
  length: 3
  ▶ __proto__: Array(0)
>
```

JS Object - get all values

JS Objects - all entries

example 1

- JS provides method to access all entries in passed object
- e.g. using `Object.entries()` method
- return keys and values

```
// create object  
var testObject = {  
  archive: 'waldzell',  
  access: 'castalia',  
  purpose: 'gaming'  
};  
  
// get all entries for passed object  
Object.entries(testObject);
```

- `entries()` method returns a multidimensional array of keys and values for `testObject`
- each inner array has key and values

JS Objects - all entries

example 1

get all entries from the passed object...

```
> var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get all entries from passed object
Object.entries(testObject);

< ▾ (3) [Array(2), Array(2), Array(2)] ⓘ
  ▶ 0: (2) ["archive", "waldzell"]
  ▶ 1: (2) ["access", "castalia"]
  ▶ 2: (2) ["purpose", "gaming"]
  length: 3
  ▶ __proto__: Array(0)

>
```

[JS Object - get all entries](#)

JS Objects - all entries

example 2

- `Object.entries()` method
 - *return keys and values*
 - *returns value regardless of data type*
 - *e.g. object, array values...*

```
var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming',
  games: {
    primary: 'glass bead',
    secondary: 'arithmetic',
    tertiary: 'ultima'
  }
};

// get all entries from passed object
Object.entries(testObject);
```

- `entries()` method returns a multidimensional array of keys and values for `testObject`
- each inner array has key and values

JS Objects - all entries

example 2

get all entries from the passed object...

```
> var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming',
  games: {
    primary: 'glass bead',
    secondary: 'arithmetic',
    tertiary: 'ultima'
  }
};

// get all entries from passed object
Object.entries(testObject);

< ▼ (4) [Array(2), Array(2), Array(2), Array(2)] ⓘ
  ▶ 0: (2) ["archive", "waldzell"]
  ▶ 1: (2) ["access", "castalia"]
  ▶ 2: (2) ["purpose", "gaming"]
  ▼ 3: Array(2)
    0: "games"
    ▶ 1: {primary: "glass bead", secondary: "arithmetic", tertiary: "ultima"}
      length: 2
    ▶ __proto__: Array(0)
  length: 4
  ▶ __proto__: Array(0)
>
```

JS Object - get all entries

JS Objects - get length of object

- an object does not include its own `length` property
 - *but array includes the `length` property*
 - *we can use `keys ()` method to get array of keys*
 - *then get `length` from keys array for passed object*

```
// create object
var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get all keys for passed object
var objectKeys = Object.keys(testObject);
// get length of object using return array for keys
var objectLen = objectKeys.length;
```

JS Objects - get length of object - v.1

use `keys ()` and `array length` property...return `keys` array and `length` of object

```
> // create object
var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get all keys for passed object
var objectKeys = Object.keys(testObject);
// get length of object using return array for keys
var objectLen = objectKeys.length;
// test output of objectKeys
objectKeys;
< ▼ (3) ["archive", "access", "purpose"] 3
  0: "archive"
  1: "access"
  2: "purpose"
  length: 3
  ► __proto__: Array(0)
> // test output of objectLen
objectLen;
< 3
> |
```

JS Object - get object length

JS Objects - get length of object - v.2

use `keys ()` and array `length` property...only return length of object

```
> // create object
var testObject = {
  archive: 'waldzell',
  access: 'castalia',
  purpose: 'gaming'
};

// get length of object using return array for keys
var objectLen = Object.keys(testObject).length;
// test output of objectLen
objectLen;
< 3
> |
```

JS Object - get object length

JS Objects - arrays as objects


- JS array an object that contains values, of any type, in numerically indexed positions
 - store a number, a string...
 - array will start at index position 0
 - increments by 1 for each new value
- arrays can also have properties
 - eg: automatically updated **length** property

```
var arrayA = [  
  49,  
  59,  
  "Philae"  
];  
arrayA.length; //returns 3
```

- each value can be retrieved from its applicable index position,

```
arrayA[2]; //returns the string "Philae"
```

JS Objects - array structure



JS Array.

JS Objects - combine arrays and objects

- objects and arrays may also be combined in JavaScript
 - *an object in an array, array in object...*

```
// create array with object  
var archives = [  
  { name: 'waldzell', access: 'castalia', purpose: 'gaming' },  
  { name: 'bodleian', access: 'oxford', purpose: 'research' }  
];
```

- then access inner object

```
// get first archive object  
var firstArchive = archives[0];
```

- then, we can get the name of the first archive, e.g.

```
// get name from first object - bracket notation  
var archiveName = firstArchive["name"];  
// get name from second object - dot notation for object  
var archiveName2 = archives[1].name;
```

JS Objects - combine arrays and objects

combine arrays and objects...access inner values

```
first archive is waldzell
second archive is bodleian
```

Elements Console Sources Network Performance Memory Application Security >> : X

top Filter Errors only 2 items hidden by filters

```
> // create combined array and inner objects
var archives = [
  {name: 'waldzell', access: 'castalia', purpose: 'gaming' },
  { name: 'bodleian', access: 'oxford', purpose: 'research'}
];

// get first archive object
var firstArchive = archives[0];

// get name from first object - bracket notation
var archiveName = firstArchive["name"];
// get name from second object - dot notation for object
var archiveName2 = archives[1].name;

// output archive names to document
document.write('<br>first archive is ' + archiveName);
document.write('<br>second archive is ' + archiveName2);
< undefined
> |
```

JS - array and object combined

Fun exercise - using arrays

- create a new array, named **cities**, with the following values
 - *Paris, Marseille, Nice*
- add the following values to the end of the array
 - *Toulouse, Lyon*
- remove the fourth value from the array
- add the following values to the start of the array
 - *Cannes, Avignon*
- move the third value in the array to the end of the array
- move the fourth value in the array to the start of the array

Output each answer to the document with a line break between each result.